





Premium | Ceramic

For the most beautiful sanding pattern and the best tool life.

- Achieves the best sanding pattern
- Very long service life
- Extreme heat resistance
- Best price-performance ratio on the market, as it is very resilient
- Suitable for all surface treatments
- For sanding UV-coated floors

			Art.-no.	Dimensions	Grain size: coarse to fine									
Belt		10	17107-000...	200 x 750 mm		36	40	50	60	80	100	120		
		10	17103-250...	250 x 750 mm		36	40	50	60	80	100	120		
Hook & Loop disc 15-hole		50	17161-150...	ø150 mm			40		60	80	100	120		180
Hook & Loop disc		50	17159-150...	ø150 mm	24	36	40	50	60	80	100	120		
		50	17160-200...	ø200 mm	24	36	40	50	60	80	100	120	150	180
Hook & Loop disc Center hole		50	17160-1400...	ø140 mm			40		60					
		50	17170-178...	ø178 mm	24	36	40	50	60	80	100	120		



Perfect sanding pattern with a great look!

With the LOBASAND belt, you can prepare floors perfectly for subsequent surface finishes. Whether it's a raw-wood look with 2K InvisibleProtect that you want, or an intense effect with 2K ImpactOil, LOBASAND allows you to truly bring out the natural beauty of wooden flooring.

Dynamic | Zircon

For fast results and high abrasion.

- Fast removal
- Highly aggressive
- Clogs less because of half-open spreading
- Good heat resistance
- 100% zirconia, unique selling proposition on the market



			Art.-no.	Dimensions	Grain size: coarse to fine								
Belt		10	17105-000...	200 x 750 mm	24	36	40	50	60	80	100	120	
		10	17101-250...	250 x 750 mm		36	40	50	60	80	100	120	
Hook & Loop disc 9-hole		50	17140-125...	ø125 mm			40		60	80	100	120	
Hook & Loop disc 15-hole		50	17173-150...	ø150 mm			40		60	80	100	120	180
Hook & Loop disc		50	17112-150...	ø150 mm	24	36	40		60	80	100	120	
		50	17112-200...	ø200 mm					60	80	100	120	
Hook & Loop disc Center hole		50	17112-140...	ø140 mm		36			60		100	120	
		50	17171-178...	ø178 mm	24	36	40	50	60	80	100	120	

Classic | Aluminium Oxide


For price-conscious projects.

- Leaves behind fewer visible scratches
- Low-cost price per unit
- Good for preparation for subsequent impregnation or coloring



			Art.-no.	Dimensions	Grain size: coarse to fine									
Belt		10	17101-000...	200 x 750 mm	16	24	36	40	50	60	80	100	120	
Hook & Loop disc 15-hole		50	17142-150...	ø150 mm		24	36	40		60	80	100	120	
Hook & Loop disc		50	17111-150...	ø150 mm	16	24	36	40		60	80	100	120	
		50	17115-200...	ø200 mm				40		60	80	100	120	
Hook & Loop disc Center hole		50	17110-178...	ø178 mm	16	24	36	40		60	80	100	120	
Hook & Loop strip		50	17060-000240-000	81 x 133 mm										240
Triangle		50	17041-000...	ø80 mm				40		60	80	100		

Other abrasives and pads

			Art.-no.	Dimensions Grain size	Range of use
SpecialPad beige		10	16550-406410-000	ø406 x 10 mm	Levelling
Pad for beige pad holder		25	16550-250210-000	250 x 120 x 10 mm	Levelling
HandPadSet beige +25 pads		1	16555-000000-000	85 x 135 x 10 mm	Levelling
SpecialPad green		10	16550-406420-000	ø406 x 10 mm	Throrough cleaning
Pad for pad holder green		25	16550-250310-000	250 x 120 x 10 mm	Throrough cleaning
ScrubberPad black		1	16552-406010-000	ø406 mm	Throrough cleaning
NormalPad white		10	16550-124352-000	ø406 x 10 mm	Polishing
SuperPad white		5	16551-124662-000	ø406 x 25 mm	Polishing
Polishing fleece		10	16560-000000-000	ø406 mm	Intermediate sanding
DustPad		5	17039-410000-000	ø410 mm	Dust reduction
PerforatedPad		10	17037-410...	ø410 mm 80/100/120/150/180/220	For single-disc machines (fine and intermediate sanding)
SandingGrid		10	17025-406...	ø406 mm 60/80/100/120/150/180	For single-disc machines (fine and intermediate sanding)
DoubleDisc		10	17021-000...	ø406 mm 16/24/36/40/60/80/100/120	For single-disc machines
Adhesive disc		20	17010-178000-000	ø178 mm	For circular sanding machines
Pad holder with telescopic bar		1	16553-000000-000	Extendable to 97-184 cm	Levelling and thorough cleaning