

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 03/19/2025

Reviewed on 03/19/2025

1 Identification

- **Product identifier**
- **Trade name:** DeckOil Color Dark Brown
- **Other means of identification**
- **Article number:** 10616-800150-250
- **Application of the substance / the mixture** Coating material
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Loba Wakol LLC
2732 Hwy 74 West
Wadesboro, NC 28170
Phone: (800) 230-6456
Email: info@loba-wakol.com
- **Emergency telephone number:**
Emergency CONTACT (24-Hour-Number)
GBK/Infotrac ID 112404 : (USA domestic) 1 800 535 5053

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Aspiration hazard 1 H304 May be fatal if swallowed and enters airways.

Flammable liquids 4 H227 Combustible liquid.

- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS08

- **Signal word** Danger
- **Hazard-determining components of labeling:**
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics
- **Hazard statements**
Combustible liquid.
May be fatal if swallowed and enters airways.
- **Precautionary statements**
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Avoid release to the environment.
If swallowed: Immediately call a poison center/doctor/-
Do NOT induce vomiting.
Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Information pertaining to particular dangers for man and environment:**
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 0

Fire = 2

Reactivity = 0

(Contd. on page 2)

US

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 03/19/2025

Reviewed on 03/19/2025

Trade name: DeckOil Color Dark Brown

(Contd. of page 1)

· HMIS-ratings (scale 0 - 4)

HEALTH	0	Health = 0
FIRE	2	Fire = 2
REACTIVITY	0	Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· Classification according to (d)(1)(ii) of § 1910.1200

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

· Hazards not otherwise classified

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 64742-48-9	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	25-50%
EC number: 918-481-9	 Aspiration hazard 1, H304	
CAS: 1309-37-1	Pigment Red 101	<1.5%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

· Description of first aid measures

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· After skin contact:

In general, the product is not irritating to the skin. Wash the product off with plenty of soap and water after skin contact.

· **After eye contact:** Rinse opened eye for several minutes under running water.

· **After swallowing:** If symptoms persist consult doctor.

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed** Symptom Treat omerically.

5 Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **Special hazards arising from the substance or mixture** No further relevant information available.

· Advice for firefighters

· **Protective equipment:** No special measures required.

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures** Not required.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 03/19/2025

Reviewed on 03/19/2025

Trade name: DeckOil Color Dark Brown

(Contd. of page 2)

· **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· **Protective Action Criteria for Chemicals**

· **PAC-1:**

1309-37-1	Pigment Red 101	15 mg/m ³
1333-86-4	Pigment Black 7	9 mg/m ³
68439-49-6	alcohol ethoxillated	3.8 mg/m ³
107-98-2	1-methoxy-2-propanol	100 ppm
57-55-6	Propylene glycol	30 mg/m ³

· **PAC-2:**

1309-37-1	Pigment Red 101	360 mg/m ³
1333-86-4	Pigment Black 7	290 mg/m ³
68439-49-6	alcohol ethoxillated	42 mg/m ³
107-98-2	1-methoxy-2-propanol	160 ppm
57-55-6	Propylene glycol	1,300 mg/m ³

· **PAC-3:**

1309-37-1	Pigment Red 101	2,200 mg/m ³
1333-86-4	Pigment Black 7	1750 mg/m ³
68439-49-6	alcohol ethoxillated	250 mg/m ³
107-98-2	1-methoxy-2-propanol	660 ppm
57-55-6	Propylene glycol	7,900 mg/m ³

· **Reference to other sections**

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· **Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· **Information about protection against explosions and fires:** No special measures required.

· **Conditions for safe storage, including any incompatibilities**

· **Storage:**

Requirements to be met by storerooms and receptacles: No special requirements.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:** None.

· **Storage class:** 10

· **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

(Contd. on page 4)

US

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 03/19/2025

Reviewed on 03/19/2025

Trade name: DeckOil Color Dark Brown

(Contd. of page 3)

1309-37-1 Pigment Red 101

PEL	Long-term value: 10* mg/m ³ *Fume
REL	Long-term value: 5 mg/m ³ Dust & fume, as Fe
TLV	Long-term value: 5* mg/m ³ *Respirable particulate matter, A4

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Appropriate engineering controls** No further data; see section 7.

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

· **Breathing equipment:** Not required.

· **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Recommended thickness of the material: ≥ 0.4 mm

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 16523-1:2015: Level 6).

Value for the permeation: Level ≤ 6

· **Eye protection:** Goggles recommended during refilling.

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Liquid

· **Color:**

According to product specification

· **Odor:**

Recognizable

· **Odor threshold:**

Not determined.

· **Melting point/Melting range:**

Undetermined.

· **Boiling point/Boiling range:**

Undetermined.

· **Flammability:**

Not applicable.

· **Lower:**

Not determined.

· **Upper:**

Not determined.

· **Flash point:**

62 °C (143.6 °F) (DIN EN ISO 3679)

· **Decomposition temperature:**

Not determined.

· **pH-value:**

Not determined.

· **Viscosity:**

· **Kinematic:**

Not determined.

· **Dynamic at 20 °C (68 °F):**

13 mPas

· **Solubility in / Miscibility with**

· **Water:**

Not miscible or difficult to mix.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 03/19/2025

Reviewed on 03/19/2025

Trade name: DeckOil Color Dark Brown

(Contd. of page 4)

· Partition coefficient (n-octanol/water):	Not determined.
· Vapor pressure:	Not determined.
· Vapor pressure:	
· Density at 20 °C (68 °F):	0.877 g/cm ³ (7.31857 lbs/gal) (Dichtekugel 10ml 20°C)
· Relative density	Not determined.
· Vapor density	Not determined.
· Particle properties	not applicable, as liquid
· Other information	
· Appearance:	
· Form:	Fluid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Not determined.
· Change in condition	
· Evaporation rate	Not determined.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

64742-48-9 Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Oral	LD50	>5,000 mg/kg (rec)
Dermal	LD50	>5,000 mg/kg (rec)
Inhalative	LC50/4 h	>5,000 mg/l (rec)

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
- **Interactive effects** No interactive effects between components are known.
- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

1309-37-1	Pigment Red 101	3
1333-86-4	Pigment Black 7	2B

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 03/19/2025

Reviewed on 03/19/2025

Trade name: DeckOil Color Dark Brown

(Contd. of page 5)

· OSHA (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Alternative sources for toxicological information

No non-standard sources for toxicological information where used.

12 Ecological information

· Toxicity

· **Aquatic toxicity:** No further relevant information available.· **Persistence and degradability** No further relevant information available.· **Bioaccumulative potential** No further relevant information available.· **Mobility in soil** No further relevant information available.

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.· **vPvB:** Not applicable.

· Other adverse effects

· Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

After prior treatment product has to be landfilled or incinerated adhering to the regulations pertaining to the disposal of especially hazardous waste.

· Uncleaned packagings:

· **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· UN-Number

· **DOT, ADR, ADN, IMDG, IATA** not regulated

· UN proper shipping name

· **DOT, ADR, ADN, IMDG, IATA** not regulated

· Transport hazard class(es)

· **DOT, ADR, ADN, IMDG, IATA**· **Class** not regulated

· Packing group

· **DOT, ADR, IMDG, IATA** not regulated

· Environmental hazards:

· **Marine pollutant:** No· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.· **Special precautions for user** Not applicable.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 03/19/2025

Reviewed on 03/19/2025

Trade name: DeckOil Color Dark Brown

(Contd. of page 6)

· UN "Model Regulation": not regulated

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **TSCA (Toxic Substances Control Act):** All components are on the TSCA inventory

- **Hazardous Air Pollutants**

None of the ingredients is listed.

- **Proposition 65**

- **Chemicals known to cause cancer:**

1333-86-4 | Pigment Black 7

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS08

- **Signal word** Danger

- **Hazard-determining components of labeling:**

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics

- **Hazard statements**

Combustible liquid.

May be fatal if swallowed and enters airways.

- **Precautionary statements**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Avoid release to the environment.

If swallowed: Immediately call a poison center/doctor/-

Do NOT induce vomiting.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H304 May be fatal if swallowed and enters airways.

- **Department issuing SDS:** Product safety

- **Date of previous version** 03/11/2025

- **Version number of previous version:** 3

- **Date of preparation** 03/19/2025

(Contd. on page 8)

US

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 03/19/2025

Reviewed on 03/19/2025

Trade name: DeckOil Color Dark Brown

(Contd. of page 7)

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flammable liquids 4: Flammable liquids – Category 4

Aspiration hazard 1: Aspiration hazard – Category 1

· *** Data compared to the previous version altered.**

US

Sicherheitsdatenblatt gemäß 91/155/EWG

Ausgabedatum: 19.03.2025

Versionsnummer 4

überarbeitet am: 19.03.2025

1 Bezeichnung des Stoffs beziehungsweise des Gemisches und des Unternehmens

- **Produktidentifikator**
- **Handelsname:** DeckOil Color Dark Brown
- **Andere Mittel zur Identifizierung**
- **Artikelnummer:** 10616-800150-250
- **Verwendung des Stoffes / des Gemisches** Beschichtungsstoff
- **Einzelheiten zum Lieferanten, der das Sicherheitsdatenblatt bereitstellt**
- **Hersteller/Lieferant:**
Loba Wakol LLC
2732 Hwy 74 West
Wadesboro, NC 28170
Phone: (800) 230-6456
Email: info@loba-wakol.com
- **Notrufnummer:**
Emergency CONTACT (24-Hour-Number)
GBK/Infotrac ID 112404 : (USA domestic) 1 800 535 5053

2 Mögliche Gefahren

- **Einstufung des Stoffs oder Gemisches**



GHS08 Gesundheitsgefahr

Asp. 1

H304 Kann bei Verschlucken und Eindringen in die Atemwege tödlich sein.

Flammable liquids 4 H227 Brennbare Flüssigkeit.

- **Kennzeichnungselemente**
- **GHS-Kennzeichnungselemente**
Das Produkt ist gemäß GHS (Globally Harmonized System) eingestuft und gekennzeichnet.
- **Gefahrenpiktogramme**



GHS08

- **Signalwort** Gefahr
- **Gefahrbestimmende Komponenten zur Etikettierung:**
Kohlenwasserstoffe, C10-C13, n-Alkane, Isoalkane, zyklische, < 2% aromatische
- **Gefahrenhinweise**
Brennbare Flüssigkeit.
Kann bei Verschlucken und Eindringen in die Atemwege tödlich sein.
- **Sicherheitshinweise**
Von Hitze, heißen Oberflächen, Funken, offenen Flammen und anderen Zündquellen fernhalten. Nicht rauchen.
Freisetzung in die Umwelt vermeiden.
BEI VERSCHLUCKEN: Sofort GIFTINFORMATIONSZENTRUM/Arzt/- anrufen.
KEIN Erbrechen herbeiführen.
Entsorgung des Inhalts / des Behälters gemäß den örtlichen / regionalen / nationalen/ internationalen Vorschriften.
- **Besondere Gefahrenhinweise für Mensch und Umwelt:**
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 0

Fire = 2

Reactivity = 0

(Fortsetzung auf Seite 2)

Sicherheitsdatenblatt gemäß 91/155/EWG

Ausgabedatum: 19.03.2025

Versionsnummer 4

überarbeitet am: 19.03.2025

Handelsname: DeckOil Color Dark Brown

(Fortsetzung von Seite 1)

· HMIS-ratings (scale 0 - 4)

HEALTH	0	Health = 0
FIRE	2	Fire = 2
REACTIVITY	0	Reactivity = 0

· Sonstige Gefahren

· Ergebnisse der PBT- und vPvB-Beurteilung

· **PBT:** Nicht anwendbar.

· **vPvB:** Nicht anwendbar.

· Classification according to (d)(1)(ii) of § 1910.1200

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

· Hazards not otherwise classified

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Zusammensetzung/Angaben zu Bestandteilen

· Chemische Charakterisierung: Gemische

· **Beschreibung:** Gemisch aus nachfolgend angeführten Stoffen mit ungefährlichen Beimengungen.

· Gefährliche Inhaltsstoffe:

CAS: 64742-48-9	Kohlenwasserstoffe, C10-C13, n-Alkane, Isoalkane, zyklische, < 2%	25-50%
EG-Nummer: 918-481-9	aromatische	
	 Asp. 1, H304	

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 Erste-Hilfe-Maßnahmen

· Beschreibung der Erste-Hilfe-Maßnahmen

· **nach Einatmen:** Frischluftzufuhr, bei Beschwerden Arzt aufsuchen.

· nach Hautkontakt:

Im Allgemeinen ist das Produkt nicht reizend für die Haut. Waschen Sie das Produkt nach Hautkontakt mit viel Wasser und Seife ab.

· **nach Augenkontakt:** Augen bei geöffnetem Lidspalt mehrere Minuten mit fließendem Wasser spülen.

· **nach Verschlucken:** Bei anhaltenden Beschwerden Arzt konsultieren.

· Wichtigste akute und verzögert auftretende Symptome und Wirkungen

Keine weiteren relevanten Informationen verfügbar.

· **Hinweise auf ärztliche Soforthilfe oder Spezialbehandlung** Symptomatisch behandeln.

5 Maßnahmen zur Brandbekämpfung

· Löschmittel

· Geeignete Löschmittel:

CO₂, Löschpulver oder Wassersprühstrahl. Größeren Brand mit Wassersprühstrahl oder alkoholbeständigem Schaum bekämpfen.

· Besondere vom Stoff oder Gemisch ausgehende Gefahren

Keine weiteren relevanten Informationen verfügbar.

· Hinweise für die Brandbekämpfung

· **Besondere Schutzausrüstung:** Keine besonderen Maßnahmen erforderlich.

6 Maßnahmen bei unbeabsichtigter Freisetzung

· Personenbezogene Vorsichtsmaßnahmen, Schutzausrüstungen und in Notfällen anzuwendende Verfahren

Nicht erforderlich.

(Fortsetzung auf Seite 3)

Sicherheitsdatenblatt gemäß 91/155/EWG

Ausgabedatum: 19.03.2025

Versionsnummer 4

überarbeitet am: 19.03.2025

Handelsname: DeckOil Color Dark Brown

(Fortsetzung von Seite 2)

· **Umweltschutzmaßnahmen:**

Nicht in die Kanalisation oder in Gewässer gelangen lassen.

Bei Eindringen in Gewässer oder Kanalisation zuständige Behörden benachrichtigen.

· **Methoden und Material für Rückhaltung und Reinigung:**

Mit flüssigkeitsbindendem Material (Sand, Kieselgur, Säurebinder, Universalbinder, Sägemehl) aufnehmen.

Kontaminiertes Material als Abfall nach Abschnitt 13 entsorgen.

Für ausreichende Lüftung sorgen.

· **Protective Action Criteria for Chemicals**

· **PAC-1:**

1309-37-1	Pigment Red 101	15 mg/m ³
1333-86-4	Pigment Black 7	9 mg/m ³
68439-49-6	Alkohole C16 - C18, ethoxyliert	3.8 mg/m ³
107-98-2	1-Methoxy-2-propanol	100 ppm
57-55-6	1,2-Propandiol	30 mg/m ³

· **PAC-2:**

1309-37-1	Pigment Red 101	360 mg/m ³
1333-86-4	Pigment Black 7	290 mg/m ³
68439-49-6	Alkohole C16 - C18, ethoxyliert	42 mg/m ³
107-98-2	1-Methoxy-2-propanol	160 ppm
57-55-6	1,2-Propandiol	1,300 mg/m ³

· **PAC-3:**

1309-37-1	Pigment Red 101	2,200 mg/m ³
1333-86-4	Pigment Black 7	1750 mg/m ³
68439-49-6	Alkohole C16 - C18, ethoxyliert	250 mg/m ³
107-98-2	1-Methoxy-2-propanol	660 ppm
57-55-6	1,2-Propandiol	7,900 mg/m ³

· **Verweis auf andere Abschnitte**

Es werden keine gefährlichen Stoffe freigesetzt.

Informationen zur sicheren Handhabung siehe Abschnitt 7.

Informationen zur persönlichen Schutzausrüstung siehe Abschnitt 8.

Informationen zur Entsorgung siehe Abschnitt 13.

7 Handhabung und Lagerung

· **Schutzmaßnahmen zur sicheren Handhabung**

Für gute Belüftung/Absaugung am Arbeitsplatz sorgen.

Aerosolbildung vermeiden.

· **Hinweise zum Brand- und Explosionsschutz:** Keine besonderen Maßnahmen erforderlich.

· **Bedingungen zur sicheren Lagerung unter Berücksichtigung von Unverträglichkeiten**

· **Lagerung:**

· **Anforderung an Lagerräume und Behälter:** Keine besonderen Anforderungen.

· **Zusammenlagerungshinweise:** nicht erforderlich

· **Weitere Angaben zu den Lagerbedingungen:** keine

· **Lagerklasse:** 10

· **Spezifische Endanwendungen:** Keine weiteren relevanten Informationen verfügbar.

DE

(Fortsetzung auf Seite 4)

Sicherheitsdatenblatt gemäß 91/155/EWG

Ausgabedatum: 19.03.2025

Versionsnummer 4

überarbeitet am: 19.03.2025

Handelsname: DeckOil Color Dark Brown

(Fortsetzung von Seite 3)

8 Begrenzung und Überwachung der Exposition/Persönliche Schutzausrüstungen

· Zu überwachende Parameter

· Bestandteile mit arbeitsplatzbezogenen, zu überwachenden Grenzwerten:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

1309-37-1 Pigment Red 101

AGW Langzeitwert: 1,25* 10** mg/m³
2(II),*alveolengängig**eintembar; AGS, DFG, Y

· Zusätzliche Hinweise: Als Grundlage dienen die bei der Erstellung gültigen Listen.

· Begrenzung und Überwachung der Exposition

· Geeignete technische Steuerungseinrichtungen Keine weiteren Angaben, siehe Abschnitt 7.

· Persönliche Schutzausrüstung:

· Allgemeine Schutz- und Hygienemaßnahmen:

Von Nahrungsmitteln, Getränken und Futtermitteln fernhalten.

Vor den Pausen und bei Arbeitsende Hände waschen.

· Atemschutz: nicht erforderlich.

· Handschutz:

Das Handschuhmaterial muss undurchlässig und beständig gegen das Produkt / den Stoff / die Zubereitung sein.

Auswahl des Handschuhmaterials unter Beachtung der Durchbruchzeiten, Permeationsraten und der Degradation.

· Handschuhmaterial

Nitrilkautschuk

Die Auswahl eines geeigneten Handschuhs ist nicht nur vom Material, sondern auch von weiteren Qualitätsmerkmalen abhängig und von Hersteller zu Hersteller unterschiedlich. Da das Produkt eine Zubereitung aus mehreren Stoffen darstellt, ist die Beständigkeit von Handschuhmaterialien nicht vorausberechenbar und muß deshalb vor dem Einsatz überprüft werden.

Empfohlene Materialstärke: $\geq 0,4$ mm

· Durchdringungszeit des Handschuhmaterials

Die genaue Durchbruchzeit ist beim Schutzhandschuhhersteller zu erfahren und einzuhalten.

Für das Gemisch nachfolgend genannter Chemikalien muss die Durchbruchzeit mindestens 480 Minuten (Permeation gemäß EN 374 Teil 3: Level 6) betragen.

Wert für die Permeation: Level 6

· Augenschutz: Beim Umfüllen Schutzbrille empfehlenswert.

9 Physikalische und chemische Eigenschaften

· Angaben zu den grundlegenden physikalischen und chemischen Eigenschaften

· Allgemeine Angaben

· Aggregatzustand

Flüssig

· Farbe:

gemäß Produktbezeichnung

· Geruch:

wahrnehmbar

· Geruchsschwelle:

Nicht bestimmt.

· Schmelzpunkt/Gefrierpunkt:

Nicht bestimmt

· Siedebeginn und Siedebereich:

nicht bestimmt

· Entzündbarkeit

Nicht anwendbar.

untere:

Nicht bestimmt.

· obere:

Nicht bestimmt.

· Flammpunkt:

62 °C (DIN EN ISO 3679)

· Zersetzungstemperatur:

Nicht bestimmt.

· pH-Wert:

Nicht bestimmt.

· Viskosität:

Nicht bestimmt.

· kinematisch:

Nicht bestimmt.

(Fortsetzung auf Seite 5)

DE

Sicherheitsdatenblatt gemäß 91/155/EWG

Ausgabedatum: 19.03.2025

Versionsnummer 4

überarbeitet am: 19.03.2025

Handelsname: DeckOil Color Dark Brown

(Fortsetzung von Seite 4)

- **dynamisch bei 20 °C:** 13 mPas
- **Löslichkeit in / Mischbarkeit mit**
- **Wasser:** nicht bzw. wenig mischbar
- **Verteilungskoeffizient: n-Octanol/Wasser:** Nicht bestimmt.
- **Dampfdruck:** Nicht bestimmt.
- **Dampfdichte:**
- **Dichte bei 20 °C:** 0,877 g/cm³ (Dichtekugel 10ml 20°C)
- **Relative Dichte** Nicht bestimmt.
- **Dampfdichte** Nicht bestimmt.
- **Partikeleigenschaften** nicht anwendbar, da Flüssigkeit
- **Sonstige Angaben**
- **Aussehen:**
- **Form:** flüssig
- **Wichtige Angaben zum Gesundheits- und Umweltschutz sowie zur Sicherheit**
- **Zündtemperatur:** Das Produkt ist nicht selbstentzündlich.
- **Explosive Eigenschaften:** Nicht bestimmt.
- **Zustandsänderung**
- **Verdampfungsgeschwindigkeit** Nicht bestimmt.

10 Stabilität und Reaktivität

- **Reaktivität** Keine weiteren relevanten Informationen verfügbar.
- **Chemische Stabilität**
- **Thermische Zersetzung / zu vermeidende Bedingungen:** Keine Zersetzung bei bestimmungsgemäßer Verwendung.
- **Möglichkeit gefährlicher Reaktionen** Keine gefährlichen Reaktionen bekannt.
- **Zu vermeidende Bedingungen** Keine weiteren relevanten Informationen verfügbar.
- **Unverträgliche Materialien:** Keine weiteren relevanten Informationen verfügbar.
- **Gefährliche Zersetzungsprodukte:** keine gefährlichen Zersetzungsprodukte bekannt.

11 Toxikologische Angaben

- **Angaben zu toxikologischen Wirkungen**
- **Akute Toxizität**

· Einstufungsrelevante LD/LC50-Werte:

64742-48-9 Kohlenwasserstoffe, C10-C13, n-Alkane, Isoalkane, zyklische, < 2% aromatische

Oral	LD50	>5.000 mg/kg (Rechenmethode)
Dermal	LD50	>5.000 mg/kg (Rechenmethode)
Inhalativ	LC50/4 h	>5.000 mg/l (Rechenmethode)

- **Primäre Reizwirkung:**
- **Ätz-/Reizwirkung auf die Haut** Keine Reizwirkung
- **Schwere Augenschädigung/-reizung** Keine Reizwirkung
- **Sensibilisierung der Atemwege/Haut** keine sensibilisierende Wirkung bekannt
- **Zusätzliche toxikologische Hinweise:**

Das Produkt weist aufgrund des Berechnungsverfahrens der Allgemeinen Einstufungsrichtlinie der EG für Zubereitungen in der letztgültigen Fassung folgende Gefahren auf:

- **Interactive effects** No interactive effects between components are known.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

1309-37-1	Pigment Red 101	3
1333-86-4	Pigment Black 7	2B

(Fortsetzung auf Seite 6)

Sicherheitsdatenblatt gemäß 91/155/EWG

Ausgabedatum: 19.03.2025

Versionsnummer 4

überarbeitet am: 19.03.2025

Handelsname: DeckOil Color Dark Brown

(Fortsetzung von Seite 5)

- **NTP (National Toxicology Program)**
Keiner der Inhaltsstoffe ist enthalten.
- **OSHA (Occupational Safety & Health Administration)**
Keiner der Inhaltsstoffe ist enthalten.
- **Alternative sources for toxicological information**
No non-standard sources for toxicological information where used.

12 Umweltbezogene Angaben

- **Toxizität**
- **Aquatische Toxizität:** Keine weiteren relevanten Informationen verfügbar.
- **Persistenz und Abbaubarkeit** Keine weiteren relevanten Informationen verfügbar.
- **Bioakkumulationspotenzial** Keine weiteren relevanten Informationen verfügbar.
- **Mobilität im Boden** Keine weiteren relevanten Informationen verfügbar.
- **Ergebnisse der PBT- und vPvB-Beurteilung**
- **PBT:** Nicht anwendbar.
- **vPvB:** Nicht anwendbar.
- **Andere schädliche Wirkungen**
- **Weitere ökologische Hinweise:**
- **Allgemeine Hinweise:**
Wassergefährdungsklasse 1 (Selbsteinstufung): schwach wassergefährdend
Nicht in das Grundwasser, in Gewässer oder in die Kanalisation gelangen lassen.

13 Hinweise zur Entsorgung

- **Verfahren der Abfallbehandlung**
- **Empfehlung:**
Darf nicht zusammen mit Hausmüll entsorgt werden. Nicht in die Kanalisation gelangen lassen.
Muß unter Beachtung der Sonderabfallvorschriften nach Vorbehandlung einer hierfür zugelassenen Sonderabfalldeponie oder Sonderabfallverbrennungsanlage zugeführt werden.
- **Ungereinigte Verpackungen:**
- **Empfehlung:** Entsorgung gemäß den behördlichen Vorschriften.

14 Angaben zum Transport

- **UN-Nummer**
- **DOT, ADR, ADN, IMDG, IATA** entfällt
- **Ordnungsgemäße UN-Versandbezeichnung**
- **DOT, ADR, ADN, IMDG, IATA** entfällt
- **Transportgefahrenklassen**
- **DOT, ADR, ADN, IMDG, IATA**
- **Class** entfällt
- **Verpackungsgruppe**
- **DOT, ADR, IMDG, IATA** entfällt
- **Umweltgefahren:**
- **Marine pollutant:** Nein
- **Massengutbeförderung gemäß Anhang II des MARPOL-Übereinkommens und gemäß IBC-Code** Nicht anwendbar.
- **Besondere Vorsichtsmaßnahmen für den Verwender** Nicht anwendbar.

(Fortsetzung auf Seite 7)

Sicherheitsdatenblatt gemäß 91/155/EWG

Ausgabedatum: 19.03.2025

Versionsnummer 4

überarbeitet am: 19.03.2025

Handelsname: DeckOil Color Dark Brown

(Fortsetzung von Seite 6)

· UN "Model Regulation": entfällt

15 Rechtsvorschriften

· **Vorschriften zu Sicherheit, Gesundheits- und Umweltschutz/spezifische Rechtsvorschriften für den Stoff oder das Gemisch**

· **TSCA (Toxic Substances Control Act):** All components are on the TSCA inventory

· **Hazardous Air Pollutants**

Keiner der Inhaltsstoffe ist enthalten.

· **Proposition 65**

· **Chemicals known to cause cancer:**

1333-86-4 | Pigment Black 7

· **Chemicals known to cause reproductive toxicity for females:**

Keiner der Inhaltsstoffe ist enthalten.

· **Chemicals known to cause reproductive toxicity for males:**

Keiner der Inhaltsstoffe ist enthalten.

· **Chemicals known to cause developmental toxicity:**

Keiner der Inhaltsstoffe ist enthalten.

· **GHS-Kennzeichnungselemente**

Das Produkt ist gemäß GHS (Globally Harmonized System) eingestuft und gekennzeichnet.

· **Gefahrenpiktogramme**



GHS08

· **Signalwort Gefahr**

· **Gefahrbestimmende Komponenten zur Etikettierung:**

Kohlenwasserstoffe, C10-C13, n-Alkane, Isoalkane, zyklische, < 2% aromatische

· **Gefahrenhinweise**

Brennbare Flüssigkeit.

Kann bei Verschlucken und Eindringen in die Atemwege tödlich sein.

· **Sicherheitshinweise**

Von Hitze, heißen Oberflächen, Funken, offenen Flammen und anderen Zündquellen fernhalten. Nicht rauchen.

Freisetzung in die Umwelt vermeiden.

BEI VERSCHLUCKEN: Sofort GIFTINFORMATIONSZENTRUM/Arzt/- anrufen.

KEIN Erbrechen herbeiführen.

Entsorgung des Inhalts / des Behälters gemäß den örtlichen / regionalen / nationalen/ internationalen Vorschriften.

· **Stoffsicherheitsbeurteilung:** Eine Stoffsicherheitsbeurteilung wurde nicht durchgeführt.

16 Sonstige Angaben

Die Angaben stützen sich auf den heutigen Stand unserer Kenntnisse, sie stellen jedoch keine Zusicherung von Produkteigenschaften dar und begründen kein vertragliches Rechtsverhältnis.

Geänderte Kapitel sind mit einem Stern (*) gekennzeichnet

· **Relevante Sätze**

H304 Kann bei Verschlucken und Eindringen in die Atemwege tödlich sein.

(Fortsetzung auf Seite 8)

Sicherheitsdatenblatt gemäß 91/155/EWG

Ausgabedatum: 19.03.2025

Versionsnummer 4

überarbeitet am: 19.03.2025

Handelsname: DeckOil Color Dark Brown

(Fortsetzung von Seite 7)

· **Datenblatt ausstellender Bereich:** Produktsicherheit· **Datum der Vorgängerversion:** 11.03.2025· **Versionsnummer der Vorgängerversion:** 3· **Date of preparation** 19.03.2025· **Abkürzungen und Akronyme:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flammable liquids 4: Entzündbare Flüssigkeiten – Kategorie 4

Asp. 1: Aspirationsgefahr – Kategorie 1

· *** Daten gegenüber der Vorversion geändert**

DE