Revision: 18.09.2024

Tel.: +49 (0)7156/357-0

Safety data sheet according to UK REACH

Printing date 18.09.2024

Version number 32 (replaces version 31)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Product name <u>REINIGER für geöltes gewachstes PARKETT CLEANER for oiled waxed HARDWOOD</u> FLOORS
- · Article number: 10022-000000-000
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Neutral cleaner
- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

LOBA GmbH & Co. KG

Leonberger Straße 56 - 62

D-71254 Ditzingen

United Kingdom:

Phi House

Southampton Science Park

Southampton, SO167NS

United Kingdom

Phone +442380766722

- · Informing department: service@loba.de
- · 1.4 Emergency telephone number:

Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- \cdot **Description:** Mixture of the substances listed below with harmless additions.

(Contd. on page 2)

GB ·

Revision: 18.09.2024

Safety data sheet according to UK REACH

Printing date 18.09.2024

Version number 32 (replaces version 31)

Product name REINIGER für geöltes gewachstes PARKETT CLEANER for oiled waxed HARDWOOD FLOORS

EC number: 307-055-2 Reg.nr.: 01-2119489924-20-0000 Ski Spe	Alfonic acids, C14-17-sec-alkane, sodium salts Eye Dam. 1, H318; Acute Tox. 4, H302; sin Irrit. 2, H315; Aquatic Chronic 3, H412 pecific concentration limits:	2.5-5%	
	Skin Irrit. 2; H315:C ≥ 10 % Eye Dam. 1; H318: C ≥ 15 % Eye Irrit. 2; H319: 10 % ≤ C < 15 %		
CAS: 55965-84-9 EC number: 911-418-6 Index number: 613-167-00-5 Reg.nr.: 01-2120764691-48 To: 1, 1 Aq 11A, Spe	action mass of: 5-chloro-2-methyl-4-isothiazolin- cone [EC no. 247-500-7] and 2-methyl-2H- othiazol-3-one [EC no. 220-239-6] (3:1) • Acute Tox. 3, H301; Acute Tox. 2, H310; Acute ox. 2, H330; ♦ Skin Corr. 1C, H314; Eye Dam. H318; ♦ Aquatic Acute 1, H400 (M=100); quatic Chronic 1, H410 (M=100); • Skin Sens. A, H317, EUH071 pecific concentration limits: Skin Corr. 1C;H314: $C \ge 0.6\%$ Skin Irrit. 2; H315: $0.06\% \le C < 0.6\%$ Eye Dam. 1; H318: $C \ge 0.6\%$ Skin Sens. 1A; H317: $C \ge 0.0015\%$	≥0.00025-<0.00	008
Regulation (EC) No 648/2004 on determination of the Regulation (EC) No 648/2004 on determination (EC) No 648	tergents / Labelling for contents	<	<5%

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact

In general, the product is not irritating to the skin. Wash off the product with plenty of soap and water after skin contact.

- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot \textbf{4.3 Indication of any immediate medical attention and special treatment needed} \ \textit{Symptom Treat omatically}.$

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies.

(Contd. on page 3)

Safety data sheet according to UK REACH

Printing date 18.09.2024

Version number 32 (replaces version 31)

Product name REINIGER für geöltes gewachstes PARKETT CLEANER for oiled waxed HARDWOOD FLOORS

(Contd. of page 2)

Revision: 18.09.2024

Inform respective authorities in case product reaches water or sewage system.

Dilute with much water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special precautions necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- ·Storage
- Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class 12
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures Wash hands during breaks and at the end of the work.
- · Breathing equipment: Not required.
- · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Recommended thickness of the material: ≥ 0.4 mm

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 374 Part 3: Level 6).

Value for the permeation: Level ≤ 6

· Eye/face protection Safety glasses recommended during refilling.

GD

Safety data sheet according to UK REACH

Printing date 18.09.2024

Version number 32 (replaces version 31)

Product name REINIGER für geöltes gewachstes PARKETT CLEANER for oiled waxed HARDWOOD **FLOORS**

(Contd. of page 3)

Revision: 18.09.2024

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state · Colour: Colourless · Smell: Recognisable · Odour threshold: Not determined.

· Melting point/freezing point: 0 °C

· Boiling point or initial boiling point and boiling

100 °C range

· Flammability Not applicable. · Lower: Not determined. · Upper: Not determined. · Flash point: Not applicable · Decomposition temperature: Not determined.

· pH at 20 °C 6.8

· Viscosity:

· Kinematic viscosity at 20 °C 0 s

· dynamic: Not determined.

·Solubility

· Water: Fully miscible -1.37997 · Partition coefficient n-octanol/water (log value)

· Steam pressure at 0 °C: 6.11 hPa

· Density and/or relative density

· Density at 20 °C 1.005 g/cm³ (Dichtekugel 10ml 20°C)

· Relative density Not determined. · Vapour density Not determined.

· Particle characteristics not applicable, as liquid

· 9.2 Other information

· Appearance:

· Form: Fluid

Important information on protection of health and

environment, and on safety.

· Self-inflammability: Product is not selfigniting. · Explosive properties: Product is not explosive.

· Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard classes

Void · Explosives · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void Void· Flammable solids · Self-reactive substances and mixtures Void

· Pyrophoric liquids Void

· Pyrophoric solids Void Self-heating substances and mixtures Void

· Substances and mixtures, which emit flammable

Voidgases in contact with water Oxidising liquids Void Void · Oxidising solids Void · Organic peroxides Void Corrosive to metals

(Contd. on page 5)

Safety data sheet according to UK REACH

Printing date 18.09.2024

Version number 32 (replaces version 31)

Product name REINIGER für geöltes gewachstes PARKETT CLEANER for oiled waxed HARDWOOD FLOORS

(Contd. of page 4)

Revision: 18.09.2024

· Desensitised explosives

Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	· LD/LC50 values that are relevant for classification:				
97489-15-	1 Sulfonic a	acids, C14-17-sec-alkane, sodium salts			
Oral	LD50	>500-2,000 mg/kg (rat)			
Dermal	LD50	>2,000 mg/kg (mouse)			
55965-84-		nass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-			
	2H-isothic	azol-3-one [EC no. 220-239-6] (3:1)			
Oral	LD50	457 mg/kg (rat)			
	ATE	64 mg/kg (rec)			
Dermal	LD50	660 mg/kg (rat)			
	ATE	87 mg/kg (rec)			
Inhalative	LC50/4 h	0.33 mg/l (rat)			
	ATE	0.17 mg/l (rec)			
	LC50/96 h	0.188 mg/L (fish)			

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

EC50/48 h 0.1 mg/L (daphnia)

(Contd. on page 6)

Safety data sheet according to UK REACH

Printing date 18.09.2024

Version number 32 (replaces version 31)

Product name REINIGER für geöltes gewachstes PARKETT CLEANER for oiled waxed HARDWOOD FLOORS

(Contd. of page 5)

Revision: 18.09.2024

EC50/72 h 0.027 mg/L (Algae)

NOEC 0.0012 mg/L (Algae)
0.004 mg/L (daphnia)
0.098 mg/L (fish)

· 12.2 Persistence and degradability

97489-15-1 Sulfonic acids, C14-17-sec-alkane, sodium salts

OECD Guideline 301B 78 % (not specified)

55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

OECD 301 D Closed Bottle Test >60 % (not specified)

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. After prior treatment product has to be landfilled or incinerated under adherence to the regulations pertaining to the disposal of especially hazardous waste.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

· 14.1 UN number or ID number		
· ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name		
· ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	Void	
· 14.4 Packing group		-
· ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	

(Contd. on page 7)

Revision: 18.09.2024

Safety data sheet according to UK REACH

Printing date 18.09.2024

Version number 32 (replaces version 31)

Product name REINIGER für geöltes gewachstes PARKETT CLEANER for oiled waxed HARDWOOD FLOORS

Contd. of page 6)

• 14.6 Special precautions for user

• 14.7 Maritime transport in bulk according to IMO instruments

• Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

7631-99-4 Sodium nitrate Listed

· Reportable poisons

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations
- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Alteration in the context will be marked with a cross (*).

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· Relevant phrases

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eve damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.
- *H410 Very toxic to aquatic life with long lasting effects.*
- H412 Harmful to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

· Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· Department issuing data specification sheet: Product safety

(Contd. on page 8)

Safety data sheet according to UK REACH

Printing date 18.09.2024

Version number 32 (replaces version 31)

Product name REINIGER für geöltes gewachstes PARKETT CLEANER for oiled waxed HARDWOOD **FLOORS**

(Contd. of page 7)

Revision: 18.09.2024

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity - Category 3

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

* * Data compared to the previous version altered.